

# 09/880,385 Search History Printout

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	148	(tilt\$3 skew\$3) and ((lens near3 hold\$3) same ((support\$3 wire) near3 (elastic\$4 flexib\$5)))	US-PGPUB; USPAT	OR	ON	2005/12/30 12:28
L2	68	((tilt\$3 skew\$3) same ((support\$3 wire) near3 (elastic\$4 flexib\$5))) and ((lens near3 hold\$3) same ((support\$3 wire) near3 (elastic\$4 flexib\$5)))	US-PGPUB; USPAT	OR	ON	2005/12/30 12:28
L3	4	"369"/\$7.ccls. and ((focus\$4 near4 (direction moving move\$4 axis adjust\$4)) with (tilt\$3 near3 tangent\$3) with (caus\$3 result\$3 produc\$4 develop\$3))	USPAT	OR	ON	2005/12/30 12:28
L4	16	"369"/\$7.ccls. and ((focus\$4 near4 (offset\$4 direction moving move\$4 axis adjust\$4 displac\$5)) with (tilt\$3 near3 tangent\$3))	USPAT	OR	ON	2005/12/30 12:28
L5	44	"369"/\$7.ccls. and ((focus\$4 near4 (direction moving move\$4 axis adjust\$4)) with tilt\$3 with (caus\$3 result\$3 produc\$4 develop\$3 cancel\$4 offset\$4 balanc\$3))	USPAT	OR	ON	2005/12/30 12:29
L6	87	"369"/\$7.ccls. and ((focus\$4 near4 (direction moving move\$4 axis adjust\$4)) with tilt\$3 with (caus\$3 result\$3 produc\$4 develop\$3 cancel\$4 offset\$4 balanc\$3))	US-PGPUB; USPAT	OR	ON	2005/12/30 12:29
L7	13	("720"/\$7 "369"/\$7).ccls. and (((bent bend\$3) near4 ((z focus\$4) near2 direction axis)) with (wire support\$3 elastic\$4)) and tilt\$3	US-PGPUB; USPAT	OR	ON	2005/12/30 12:29
L8	43	("720"/\$7 "369"/\$7).ccls. and (((bent bend\$3) near4 ((z focus\$4) near2 direction axis)) with (wire support\$3 elastic\$4))	US-PGPUB; USPAT	OR	ON	2005/12/30 12:29
L9	68	((tilt\$3 skew\$3) same ((support\$3 wire) near3 (elastic\$4 flexib\$5))) and ((lens near3 hold\$3) same ((support\$3 wire) near3 (elastic\$4 flexib\$5)))	US-PGPUB; USPAT	OR	ON	2005/12/30 12:30
L10	2	(tilt\$3 skew\$3) and ((lens near3 hold\$3) same ((support\$3 wire) near3 (elastic\$4 flexib\$5)) same (expan\$4 near5 contract\$3))	US-PGPUB; USPAT	OR	ON	2005/12/30 12:30

L11	16	(tilt\$3 skew\$3) and ((lens near3 hold\$3) same ((support\$3 wire) near3 (elastic\$4 flexib\$5)) same (expan\$4 contract\$3 bent bend\$3))	US-PGPUB; USPAT	OR	ON	2005/12/30 13:30
L12	29	(tilt\$3 skew\$3) and (((support\$3 wire) near3 (elastic\$4 flexib\$5)) with (expan\$4 contract\$3 bent bend\$3 deflect\$3)) and ("369"/\$7 "720"/\$7).ccls.	US-PGPUB; USPAT	OR	ON	2005/12/30 13:31
L13	171	(369/44.14-44.15 720/681-685).ccls. and ((bent bend\$3 expan\$4 contract\$3) with (elastic\$4 flexib\$5 wire support\$3))	US-PGPUB; USPAT	OR	ON	2005/12/30 14:13
L14	46	(369/44.15).ccls. and ((bent bend\$3 expan\$4 contract\$3) with (elastic\$4 flexib\$5 wire support\$3)) and (tilt\$3 skew\$3)	US-PGPUB; USPAT	OR	ON	2005/12/30 14:13

# 09/880,385 Interference Search Report

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	(tilt\$3 and ben\$4 and elastic\$4 and lens and support\$3).clm.	US-PGPUB	OR	ON	2005/12/30 16:03
L2	5	(tilt\$3 and ben\$4 and elastic\$4 and lens and ((focus\$4 orthogonal\$2 optical) near3 (axis direction))).clm.	US-PGPUB	OR	ON	2005/12/30 16:04
L3	2	(tilt\$3 and elastic\$4 and lens and (((focus\$4 orthogonal\$2 optical) near3 (axis direction)) with ben\$4)).clm.	US-PGPUB	OR	ON	2005/12/30 16:05